



LENNOX BATHROOM LTD

25 GREENMOUNT DR, EAST TAMAKI

AUCKLAND 2013

PHONE: +64 9 2710168

## Lennox Ceramic Basins BPIR Declaration

Version A1 (08/24)

---

Designated building product: Class 1

---

### Declaration

Lennox Bathroom Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

### Product/system

Name: Lennox Ceramics

Identifier: MWD: Wash basin/Vanity basin/Counter top basin

### Description

Whether you're building a new bathroom or renovating an existing one, Lennox ceramic basin offers a various range of affordable, on-trend bathroom products and accessories to suit any home. The Lennox basin ranges are available in various specifications to suit many applications.

Crafted from high-quality ceramic for durability and elegance. Designed with a single tap hole for easy installation of tapware.

The basin's design is specifically crafted to highlight and complement the beauty of a counter top, creating a seamless and stylish integration in any bathroom setting.

Vanity Basin sizes: 600x400, 600x460, 700x460, 900x460, 1200x460 single, 1200x460 double, 1500x460 single, 1500x460 double

Counter top models: A353, A022, 420C, 420B, 420A, 402, 345B, 345A, 342, 335, 334, 1123, 0652, A003, BW22-039, A257B, KY311B, KY183, K114, A430, 8405, 883, A028, 021B, 413, 416, 048B, 025W, 025, 021, 016, KY410, 342A, 356, 402, 6005, 226, 207, 512, BW21-001

Wash basin models: SC0001, 108, DWU004, 9339, 2947, 3319, 3309

All sizes are nominal and specific availability varies according to the choose range.

## Scope of Use

For interior installations in residential and commercial buildings, with timber or concrete wall.

The basin pop-up waste features a standard 32mm outlet size, specifically designed for ceramic basins to ensure efficient drainage and functionality.

## Condition of Use

Lennox Bathroom basin must be installed and maintained in accordance with our supplied instructions.

Special attention must be paid to the specific requirement for each joint - please refer to the installation instructions for further information.

The tapware & waste must be installed by a Registered Plumber.

## Relevant Building Code

B2 Durability — B2.3.1 (c)

E3 Internal moisture — E3.3.5, E3.3.6

F2 Hazardous building materials — F2.3.1, F2.3.3

G1 Personal Hygiene — G1.3.2 G12

G13 Foul Water

## Statement of Contributions to Compliance

|  |  |
|--|--|
| <b>B2 Durability</b>                   | Lennox bathroom Ceramic Basins have a durability of at least 2 years, when installed and maintained in accordance with our supplied instructions, is easy to access and replace, and failure would be easily detected during normal use.   |
| <b>E3 Internal moisture</b>            | Lennox ceramics are made from white vitreous ceramic with nano glaze surface. Surfaces of this product likely to be splashed or become contaminated during the intended use of the building, it's impervious and easily cleaned. The basin pop-up waste features a standard 32mm outlet size, specifically designed for ceramic basins to ensure efficient drainage and functionality. |
| <b>F2 Hazardous building materials</b> | This product is constructed of materials that will not emit harmful concentrations of substances from exposed surfaces.  |
| <b>G1 Personal Hygiene</b>             | The Lennox Ceramic features a high gloss surface for hygiene and ease of cleaning. This product is a sanitary fixture constructed and designed to be installed to discharge to a plumbing and drainage system as required by G13 "Foul Water"  |
| <b>G13 Foul Water</b>                  | when water-borne disposal is used. This product is a sanitary fixture constructed and designed to be installed that facilitates sanitation. This product is sanitary fixture constructed and designed to be installed to allow effective cleaning.   |

## Supporting Documents

The following additional documentation supports the above statements:

### Installation Instructions

Refer website

### Warranty Statements:

[https://www.lennoxbathroom.co.nz/akl/index.php?route=information/information&information\\_id=5](https://www.lennoxbathroom.co.nz/akl/index.php?route=information/information&information_id=5)

### Maintenance Requirements:

Cleaning Recommendations: We recommend the use of soapy water or approved cleaners. This product should not be cleaned with abrasive materials. Damage caused by any improper treatment is not covered by the product. warranty. Refer to Warranty Conditions.

[https://www.lennoxbathroom.co.nz/akl/index.php?route=information/information&information\\_id=5](https://www.lennoxbathroom.co.nz/akl/index.php?route=information/information&information_id=5)

For further information supporting Lennox Bathroom ceramic basin claims refer to our website.

## Contact Details

|   |   |
|---|---|
| <b>Manufacture Location</b>               | China   |
| <b>Manufacture</b>                        | Blue Skies NZ Trading Ltd Approved Manufacture  |
| <b>Legal and trading name of importer</b> | Blue Skies NZ Trading Ltd   |
| <b>Address for Service</b>                | 25 Greenmount Drive, East Tamaki, Auckland  |
| <b>Importer website</b>                   | <a href="https://www.lennoxbathroom.co.nz/akl/">https://www.lennoxbathroom.co.nz/akl/</a> |
| <b>Importer email</b>                     | info@lennoxbathroom.co.nz   |
| <b>Importer phone number</b>              | 092710168   |
| <b>Importer NZBN</b>                      | 9429050516469   |