



LENNOX BATHROOM LTD

25 GREENMOUNT DR, EAST TAMAKI

AUCKLAND 2013

PHONE: +64 9 2710168

Lennox Shower Glass BPIR Declaration

Version A1 (08/24)

Designated building product: Class 1

Declaration

Lennox Bathroom Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name: Lennox Shower Glass

Identifier: KDS: Cape/Eddy/Spring/Bay/Fiona/Kora/Park/Cape Black/Bay Black/Kora Black

Description

The shower glass is made of tempered glass, polished aluminium frame, seals for water tightness, chrome handle/s, certified 6mm/8mm/10mm safety glass.

The door (and return, if applicable) comprises toughened safety glass complying with AS/NZS 2208, with nano coating. A Pivot, Hinged or Sliding shower door (and returned if applicable), intended for personal showering in residential building.

Square/Rectangle sizes: 800x800, 900x900, 1000x1000, 900x750 (LH or RH), 900x800 (LH or RH), 1000x900 (LH or RH), 1100x750 (LH or RH), 1200x800 (LH or RH), 1200x900 (LH or RH), 1200x1000 (LH or RH)

Round sizes: 800x800, 900x900, 1000x1000

Alcove sizes: 800x800, 900x900, 1000x1000, 900x750 (LH or RH), 900x800 (LH or RH), 1000x900 (LH or RH), 1100x750 (LH or RH), 1200x800 (LH or RH), 1200x900 (LH or RH), 1200x1000 (LH or RH)

Angle sizes: 900x900, 1000x1000

All sizes are nominal and specific availability varies according to the choose range.

Scope of Use

For interior installations in residential buildings, with timber or concrete flooring.

Install as a complete Acrylic Shower Enclosure (comprising Acrylic Shower Tray, Shower Liner & Shower Door or return if applicable) or as a Tile Option Shower Enclosure (comprising Shower Door Set or return if applicable only - Waterproofing & Tiles are not included).

Condition of Use

Lennox Bathroom Shower Glass door (& return, if applicable) must be installed and maintained in accordance with our supplied instructions.

Special attention must be paid to the specific requirement for each joint - please refer to the installation instructions for further information.

The tapware & waste must be installed by a Registered Plumber. The maximum permitted temperature of water at the shower outlet is 50 degrees Celsius.

Relevant Building Code

B2 Durability — B2.3.1 (c)

E3 Internal moisture — E3.3.5, E3.3.6

F2 Hazardous building materials — F2.3.1, F2.3.3

G1 Personal Hygiene — G1.3.2 G12

G13 Foul Water

Statement of Contributions to Compliance

B2 Durability	Lennox bathroom Shower Glass have a durability of at least 3 years, when installed and maintained in accordance with our supplied instructions, is easy to access and replace, and failure would be easily detected during normal use.
E3 Internal moisture	Surfaces of this product likely to be splashed or become contaminated during the intended use of the building, it's impervious and easily cleaned. The minimum height for the Lennox Bathroom shower glass is 1900mm.
F2 Hazardous building materials	This product is constructed of materials that will not emit harmful concentrations of substances from exposed surfaces. Each glass panel is manufactured & marked in accordance with AS/NZS 2208. Please contact us for the current AS/NZS 2208 certificate.
G1 Personal Hygiene	Lennox Shower Glass must be provided with hot water to satisfy the intended usage of personal bathing (note - tapware not included).
G13 Foul Water	when water-borne disposal is used. This product is a sanitary fixture constructed and designed to be installed that facilitates sanitation and allow effective cleaning.

Supporting Documents

The following additional documentation supports the above statements:

Installation Instructions

<https://drive.google.com/file/d/1UFgfsHphONzL2BBBnatGfri1BOK-BPc5/view?usp=sharing>

https://drive.google.com/file/d/1e8t_nk-gPYr_tFyWWF748NjwuA1HCWnN/view?usp=sharing

<https://drive.google.com/file/d/1iilpgt5ml7gIVwuS5mJFfuEO9UPtd4PP/view?usp=sharing>

<https://drive.google.com/file/d/1xNI9ZozZMaP9ZzXXYYIIETyhtkXORy8B/view?usp=sharing>

<https://drive.google.com/file/d/1z5rpfxEz7S95h-lykpYdtNSRKQERqkSR/view?usp=sharing>

https://drive.google.com/file/d/1dZt_y00JdkyPNXY797PGIHgDxJM1ftJm/view?usp=sharing

https://drive.google.com/file/d/1V4YeStHI4pedCO-N1GfEwh_FAzJobYn9/view?usp=sharing

<https://drive.google.com/file/d/1B19RygUsG2Az3dekQUvxsYuByGRwoJMI/view?usp=sharing>

Warranty Statements:

https://www.lennoxbathroom.co.nz/akl/index.php?route=information/information&information_id=5

Maintenance Requirements:

Cleaning Recommendations: We recommend the use of soapy water or approved cleaners. This product should not be cleaned with abrasive materials. Damage caused by any improper treatment is not covered by the product. warranty. Refer to Warranty Conditions.

https://www.lennoxbathroom.co.nz/akl/index.php?route=information/information&information_id=5

For further information supporting Lennox Bathroom Shower Glass claims refer to our website.

Contact Details

Manufacture Location	China
Manufacture	Blue Skies NZ Trading Ltd Approved Manufacture
Legal and trading name of importer	Blue Skies NZ Trading Ltd
Address for Service	25 Greenmount Drive, East Tamaki, Auckland
Importer website	https://www.lennoxbathroom.co.nz/akl/
Importer email	info@lennoxbathroom.co.nz
Importer phone number	092710168
Importer NZBN	9429050516469